

Effectiveness of a Problem-Based Learning Approach in Clinical Teaching of The Undergraduate Nursing Students: An Integrative Literature Review

Zodwa Margaret Manyisa¹, Sisinyana Hannah Khunou^{1,*}

¹Department of Health Studies, University of South Africa, South Africa.

*corresponding author: khunosh@unisa.ac.za

Received February 09, 2024

Revised July 31, 2024

Accepted August 22, 2024

Available online August 27, 2024

Abstract

Aims: To explore the effectiveness of the (Problem Based Learning) PBL approach in the clinical teaching of undergraduate nursing students

Methods: An integrative literature review was used to evaluate the effectiveness of PBL in integrating theory and practice among nursing students in clinical practice. The review searched research articles published in English from 2013 to 2023. Medical Subject Headings (MeSH) guidelines were used to identify relevant search terms, which included PBL. Articles that met the inclusion criteria entailed research articles published in peer-reviewed journals, written in English and the population of undergraduate nursing students. A matrix was developed that outlined (1) characteristics of the study population and (2) challenges affecting the implementation and effectiveness of PBL in clinical teaching.

Results: The literature search revealed twenty-one (n=21) studies conducted in various countries. The studies highlighted positive experiences on the effectiveness of the PBL approach in the clinical teaching of undergraduate nursing students. Skills such as critical thinking, problem-solving, and patient diagnosis were attributed to using PBL in the simulation.

Conclusion: This paper contributes to the body of knowledge on the effectiveness of the PBL approach in the clinical teaching of undergraduate nursing students. It also contributes to the body of knowledge on PBL in nursing education, particularly in South Africa.

Keywords: clinical teaching, nursing students, problem-based learning

Introduction

The origins of PBL can be traced back to the late 1960s when it was first introduced to the health professions at McMaster University in Canada (Ku & Ha, 2016; Zhang, 2014). In 1971, the PBL approach was adopted by the Maastricht faculty of Limburg University in Europe (Dehkordi, 2008) and spread to other universities worldwide in 1982. PBL was originally designed to respond to the criticism that traditional teaching and learning methods fail to prepare medical students for solving problems in clinical settings (Hung

et al., 2019). PBL is a student-centered approach that enables students to work cooperatively in small groups to find solutions to problems. The PBL curriculum aims to develop critical thinkers who can base their practice on evidence and respond effectively to the challenges of a rapidly changing health sector (Ku & Ha, 2016). To achieve the overall goal of PBL, students are presented with a real-life problem to stimulate their critical thinking (Badeau, 2010).

PBL is facilitated by lecturers with strong clinical backgrounds and a commitment to evidence-based practice (Ku & Ha, 2016). Nursing students work in small groups to analyze a problem, identify their learning issues and then develop solutions for problems that occur in real life. These experiences later translate into practice during weekly placement in hospital and community settings to link theory to practice. Several research reviews have shown positive effects of PBL on improving academic achievement, attitudes toward learning physics, problem solving, critical and creative thinking skills, enhancing cooperative learning, developing mental models, and achieving students' process skills (Gabr & Mohamed, 2011). However, there has been no review that explains the effectiveness of PBL in clinical training. Although the PBL strategy has been used in both nursing and medicine, there is a paucity of evidence confirming its effectiveness in enhancing the integration of theory and practice in nursing education. This review aimed to describe the effectiveness of PBL in integrating theory and practice in clinical settings, focusing on nursing education.

Methods

An integrative literature review was used in the study. According to Whitemore and Knafl (2005), integrative review comprehensively encompasses synchronized inclusion of experimental and non-experimental research to comprehend a phenomenon of concern.

Problem identification stage

The first stage of any literature review method is identifying the problem. Therefore, this integrative review seeks to explore the effectiveness of the PBL approach in clinical teaching of undergraduate nursing students. The review was guided by the following question: *"What is the effectiveness of the PBL approach in the clinical teaching of undergraduate nursing students"?*

A systematic search of the literature using predetermined criteria

The authors ZMM and SHK determined the search terms per the research question. Medical Subject Headings (MeSH) guidelines were used to identify relevant search terms (Table 1). The authors searched electronic databases (MEDLINE, Google Scholar, EBSCOhost, PubMed, Psycinfo, ScienceDirect and Emerald) for articles published in English from 2013 to 2023. A review of abstracts and articles focused on the effectiveness of PBL among nursing students in clinical practice was carried out.

Table 1: Search strategy

Steps	Search terms
1	Nursing student; Nursing students; Pupil nurses
2	Undergraduate Baccalaureate
3	Effectiveness; Effect; Effects
4	Problem based learning learning; problem-based Experiential learning;
5	Teaching; Teaching method;
7	Learning: Interactive learning
8	Clinical competence; Clinical competency; Clinical skills
9	1 and 2 and 3 and 4 and 5 and 6 and 7 and 8

The inclusion criteria entailed the following: research articles published in peer-reviewed journals between the years 2013 and 2023; written in English; population of the undergraduate nursing students; and relevant search key terms. Articles that did not meet the inclusion criteria were excluded. The Preferred Reporting Items for Systematic Reviews and Meta-Analysis (PRISMA) were employed to determine the appropriate 21 research articles (Figure 1).

Critical appraisal

The rigor of the evidence was determined by applying the GRADE guidelines process, which serves to rule out any form of bias about the study results, sample selection, methods, study design, setting and the participant’s withdrawal from the study (Balshem et al. 2011). The grading about the quality of the studies was scored as A=High quality; B=Good quality; C=Low quality or Major flaws. Figure 1 depicts the quality of the studies, which met both inclusion criteria and quality dimensions.

Data analysis

The data were arranged, summarized, and integrated into the conclusion (Whittemore & Knafl, 2005). The data analysis included data comparison which involves an iterative process to identify patterns, themes, or relationships. The two authors collaborated to reach an amicable consensus regarding the themes. A matrix was developed that outlined the characteristics of the study population and challenges affecting the implementation and effectiveness of the PBL in clinical teaching of undergraduate nursing students. The results from the reviewed articles were then extracted to populate the matrix, and integrated and analyzed using a constant comparative method to organize and categorize the data.

Review presentation stage

During this stage, data are presented to elucidate the specifics of each data source in support of the conclusions from the review (Whittemore & Knaf, 2005). In this review, studies were synthesized under the following subheadings: (1) author, (2) year of publication, (3) country, (4) study design, (5) study sample, and (6) findings. The final summary of the findings is then presented in themes, sub-themes and categories for better clarity of the support needs of the nurse mentors in the mentoring role (Table 3).




Figure 1: Studies that met the inclusion criteria

Results

Sample characteristics

The literature search identified 21 eligible studies (Figure 1) that met the quality appraisal standards. In all 21 studies, the aim, objectives, design, and methods were clear with consistent results. In 19 studies applied the quantitative approach, one study used the mixed methods design while one followed the qualitative approach. These studies were done in various countries depicted (Table 2).

Table 2: Characteristics of studies, including the quality (A = High quality; B = Good quality; C = Low quality)

Author/s; year; country	Methods	Sample size (Undergraduate nursing students)	Quality appraisal	Summary of Results
Lu et al (2022) TAIWAN	Quantitative	(n=322)	Quality=High (A)	Students exposed to PBL for a longer time scored more on all the key competencies but low on skill application
Roh et al. (2013) KOREA	Quantitative	(n= 185)	Quality=High (A)	Nursing students view PBLwith simulations-based learning favorably.
Sohn et al. (2013) KOREA	Quantitative	(n=25)	Quality=High (A)	After SIM-PBL education, all areas of the nursing process presented statistically significant improvements of SE.
Son (2020) KOREA	Quantitative	(n=78)	Quality=High (A)	The experimental group's learning attitude and critical thinking increased significantly (p < 0.01). S-PBL was an effective strategy for improving nursing students' learning transfer
Cecily & Omoush (2022) SAUDI ARABIA	Quantitative	(n=60)	Quality=High (A)	The PBL method was more effective than the lecture method in improving critical thinking and problem-solving.
Khatiban & Sangestani (2014) IRAN	Quantitative	(n=70)	Quality=High (A)	PBL strategy can increase skills in diagnosing patient problems, applying theory to practice, and improving confidence and competency.
Arrue et al. (2017) SPAIN	Quantitative	(n=117)	Quality=High (A)	PBL is a satisfactory tool for acquiring competencies desired and knowledge to provide effective nursing care for depressed patients
Fung et al. (2023) ASIA	Quantitative	(n=61)	Quality=High (A)	Both virtual simulation and PBL were effective in promoting students' perceived clinical and cultural competence
Jamshidi et al. (2021) IRAN	Quantitative	(n=78)	Quality=High (A)	The mean scores of students' knowledge, attitudes, and perceptions of patient safety increased significantly in the intervention group
Hamdan et al. (2014) MALAYSIA	Quantitative	(n=94)	Quality=High (A)	Students' level of satisfaction towards PBL correlated with effectiveness of PBL

Author/s; year; country	Methods	Sample size (Undergraduate nursing students)	Quality appraisal	Summary of Results
Moradi & Taghadosi (2016) IRAN	Quantitative	(n=36)	Quality=High (A)	PBL clinical education strategy was more effective than the conventional one
Keshk, et al. (2016) EGYPT and SAUDI ARABIA	Quantitative	(n=214)	Quality=High (A)	PBL improved the ability to expand the knowledge and ability to interact with patients and their families
Penjvini & Shahsawari (2013) IRAN	Quantitative	(n=29)	Quality=High (A)	Positive attitudes and improved psychomotor skills in the PBL intervention more than in the lecture-based group
Xing et al. (2021) CHINA	Mixed method study	(n=102)	Quality=High (A)	Effective principles and strategies of problem-solving.
L'Ecuyer et al. (2015) USA	Qualitative	(n=20)	Quality=High (A)	Nursing students can articulate the roles of other professions, and interprofessional teamwork
Huang, & Wang (2020) TAIWAN	Quantitative	(n=58)	Quality=High (A)	Nursing students who received integrative training that combined team-based PBL scenario simulation had stronger mastery over core nursing competencies.
Sangestani & Khatiban (2013) IRAN	Quantitative	(n=56)	Quality=High (A)	PBL improved the application of theory in clinical practice, and increased learning motivation
Choi et al. (2013) KOREA	Quantitative	(n=90)	Quality=High (A)	Students in the PBL group improved in problem-solving and self-directed learning. Critical thinking was positively associated with problem-solving and self-directed learning
Lee & Son (2021) KOREA	Quantitative	(n=105)	Quality=High (A)	S-PBL was found to be an effective strategy for improving learning transfer, applying learned nursing knowledge to simulated nursing situations
Thabet et al. (2017) EGYPT	Quantitative	(n=84)	Quality=High (A)	PBL plays a crucial role in improving nursing students' decision-making skills; however, it does not affect decision-making style
Zhang (2014) USA	Quantitative	(n=168)	Quality=High (A)	Students generated more learning objectives in addressing broader and holistic nursing care

Themes

Three themes emerged from the study: 1) the benefits of PBL in clinical teaching, 2) the positive impact of PBL on teaching and learning, 3) challenges affecting the effectiveness of PBL in clinical teaching (Table 3).

Table 3: Themes, sub themes, and categories

Themes	Subthemes	Categories
1. Benefits of PBL in clinical teaching and learning of undergraduate nursing students	Skill development Professional competency	Problem-solving and critical thinking Decision making Clinical reasoning Communication skills Quality patient care Application of theory to practice
2. Positive impact of PBL on teaching and learning among undergraduate nursing students	Student satisfaction Collaboration	Self-directed learning Positive learning experience Motivation to learn Teamwork
3. Challenges affecting the effectiveness of PBL in clinical teaching among nursing students	Workload	Stress time-consuming

Benefits of PBL in clinical teaching of undergraduate nursing students

Fifteen articles revealed the benefits of PBL in the clinical teaching of undergraduate nursing students (Table 3). The following subthemes reinforce this theme: (1) Skill development and (2) professional competency.

Skills development

Our study highlighted that PBL enhanced the skill development of undergraduate nursing students. These skills entailed problem-solving, critical thinking, decision-making, and clinical reasoning (Table 3). In this regard, Lu et al. (2022), Hamdan et al. (2014), Cecily and Omoushu (2014), Xing et al. (2021), Moradi et al. (2016), Choi et al. (2014), Son (2020) revealed that nursing students acquired problem-solving skills from the application of a PBL approach. This could be attributed to the fact that during PBL facilitation, nursing students are provided with real-life patient problems to handle on their own. Furthermore, this study revealed that the PBL approach boosted decision-making among nursing students, which is crucial in the profession (Hamdan et al., 2014; Thabet et al., 2017). The nursing students were equipped with critical thinking and clinical reasoning skills (Roh et al., 2013; Moradi et al., 2016; Son, 2020; Cecily & Omoushu, 2014; Hamdan et al., 2014; Xing et al., 2021; Choi et al., 2014). It is

conceivable that all these skills are somehow interrelated in that one skill would contribute to another.

Professional competencies

Most studies revealed that nursing students developed professional competencies due to the PBL approach to clinical teaching. These competencies are communication skills, quality patient care, and applying theory to practice. Substantially, Lu et al. (2022), L'Ecuyer et al. (2015), Lee and Son (2022) agree that nursing students can competently communicate with patients and colleagues. Additionally, the nursing students were able to ensure quality patient care (Cecily & Omoushu, 2014; Hamdan et al., 2014; Sohn et al., 2013; Khatibani & Sangestani, 2014; Arrue et al., 2017; Jamshidi et al., 2021; Moradi et al., 2016; Lee & Son, 2022; Zhang, 2014). Furthermore, the nursing students had many opportunities to apply the theory learned into practice (Khatibani & Sangestani 2014; Fung et al., 2023; Sangestani & Khatiban, 2013; Zhang, 2014; Arrue et al., 2017; Sohn et al., 2013; Hamdan et al., 2014; Penjvini & Shahsawari, 2013).

Positive impact on teaching and learning

Fifteen out of the 21 studies identified the positive impact of PBL on teaching and learning among the undergraduate nursing students. This theme is supported by the following subthemes: student satisfaction and collaboration.

Student satisfaction

Overwhelmingly, studies suggested that undergraduate nursing students experienced satisfaction due to the PBL approach. Lu et al. (2022), Hamdan et al. (2014) concurred that PBL enhanced self-directed learning. Similarly, PBL contributed to positive learning experience and motivation (Khatibani (2014), Sangestani, (2014); Fung et al., 2023; Jamshidi et al., 2021; Moradi et al., 2016; Sangestani (2013), Khatiban, 2014;) and motivation (Cecily & Omoush, 2014; Xing et al., 2021; Penjvini & Shahsawari, 2021; Khatiban, 2014; Keshk et al., (2016)

Collaboration

Jamshidi et al. (2021) and L'Ecuyer et al. (2015) highlighted that PBL enhanced teamwork among undergraduate nursing students, peers and the multidisciplinary team.

Challenges affecting the effectiveness of PBL in clinical teaching

The findings posited that challenges impacted the effectiveness of the PBL approach among the undergraduate nursing students (Roh et al., 2013; Xing et al., 2021). Moreover, data abstraction revealed the following categories: stressful and time-consuming (Roh et al., 2013; Jamshidi et al., 2021; Xing et al., 2021).

Discussion

Current literature review aimed to synthesize the existing evidence on the effectiveness of the PBL approach in the clinical teaching of undergraduate nursing students. The 21 studies reviewed exposed three broad themes, including (1) benefits of PBL in clinical teaching and learning of undergraduate nursing students, (2) the positive impact of PBL on teaching and learning among undergraduate nursing students and (3) challenges affecting the effectiveness of PBL in clinical teaching.

Our study highlighted the development of skills attributable to PBL. The ability to solve problems is a key competency in the nursing profession. According to Ku and Ha (2016), critical thinking is essential in nursing education, especially when students must effectively manage patients with psychological and physiological needs. The assertion is that, during PBL, the nursing students are expected to deal with and provide solutions to simulated patients' situations. Al-Najar et al. (2019) posit that PBL is an inquiry-based method of solving problems, thus encouraging students to learn and contribute actively to their learning. Other authors have also publicized this notion (Ku & Ha, 2016; Ali et al., 2019; Yew & Goh, 2016; Kousar & Afzal, 2021). In that regard, Yew and Goh (2016) found that every step of PBL has a bearing on learning and critical thinking. D'Sa and Bhaduri (2013) and Tseng et al. (2011) also revealed that PBL produced critical thinkers, self-directed, and motivated learners. PBL motivates nursing students to brainstorm, analyze the situation critically, and try to solve problems (Svensson et al., 2021).

Our literature review cited professional competencies acquired by nursing students from the PBL. In this regard, the competencies gained by the students occasioned increased communication skills, quality patient care, and application of theory to practice. Understandably, nursing students are engaged in discussions thus sharpening their communication skills. Similar studies reckon that PBL facilitates students' skills and capacity to ensure patient safety (Sahota,2020).

Collaboration has been identified as contributory to enhanced teamwork. One of the key aspects of PBL is that nursing students are grouped to address problems (Allert et al., 2022). Xing (2016) emphasizes that PBL will likely enhance team performance, learning motivation and student satisfaction. According to Svensson et al. (2021), group interface is pivotal to learning because students work, gather information and study together to resolve an issue. Baran and Sozbilir (2017) consistently indicate that PBL group work led to the students contributing to their learning. Additionally, group interaction increases knowledge gaining and retention (Baran & Sozbilir, 2017; Ali et al., 2019). According to Ali et al. (2019) the motivation and excitement of students to learn in small groups help them attain essential communication and leadership skills while learning. On the same line, Yew and Goh (2016) and Yadav et al. (2018) confirmed that PBL increased students' feeling of accountability for their learning, and fostered reasoning skills, active participation, group interaction and teamwork.

Some challenges affecting the effectiveness of PBL in clinical trials have been identified. Irrespective of the overpowering benefits of PBL on clinical teaching, nursing students experienced challenges with this approach (Marken, 2010). This study revealed heavy workload, further described as stressful and time-consuming. Othman and Shalaby (2014) consistently opine that many students still reckoned time consumption and stress as the focal downsides of PBL. According to Othman and Shalaby (2014), Søndergaard (2016) and Yuan et al. (2011), this may be attributed to the time spent searching for the information in preparation for the group work and discussions. Moreover, the group discussions, debates and reflections might require much time.

Despite being cited as an effective teaching and learning strategy, several studies have reported that implementing PBL remains stressful during the clinical training of nursing students (Roh et al., 2013; Jamshidi et al., 2021). In agreement, Yuan et al. (2011) state that students experienced stress, confusion and a lack of confidence in clinical settings. These claims are supported by Yuan et al. (2011), who found that clinical practice can be anxiety-provoking when dealing with real patients. Maginnis and Croxon (2010) state that students found it difficult to relate well to real patients, compared to their practice on each other in the clinical laboratory. These feelings of uncertainty were also attributed to workload, the time-consuming nature of PBL, a lack of guidance and intimidation, and doubts about their knowledge.

Limitations

The generalisability of these results is subject to certain limitations. Particularly, limited studies are conducted in resource-poor settings. Adequate time and resources are required to effectively implement the PBL strategy.

Contribution to Global Nursing Practice

The review recommends that for the PBL curriculum to be implemented in clinical settings, students and clinical lecturers must be thoroughly prepared before the strategy is introduced. Furthermore, adequate time and resources should be available for students to undertake self-directed learning. Strategies such as questioning sessions, demonstrations, role-playing, and case studies with appropriate clinical scenarios are also recommended. Some form of reflection and emotional support can be provided to the students to help them deal with stress more constructively. It would be imperative to conduct the research in resource-impooverished countries. Guidelines can be developed to inform curriculum development about the use of PBL.

Conclusion

This article reviewed the literature on the effectiveness of the PBL approach in the clinical teaching of undergraduate nursing students. The findings of this review suggest that even though a substantial number of authors advocate for PBL, there are some critics of the strategy. These include the extra time needed to prepare scenarios, guiding students costs in training simulated patients and lecturers to facilitate PBL classes. The review suggests that more rigorous research is needed to explore the implementation of PBL in clinical settings, particularly in resource-poor settings. This paper contributes

to the body of knowledge on the effectiveness of the PBL approach in the clinical teaching of undergraduate nursing students.

Author Contribution

ZMM conceptualized the study and searched for relevant literature. The SHK carried out confirmation and validation of the methods. Both authors analyzed the data and contributed to the finalization and proofreading of the manuscript.

Conflict of interest

The authors declare that they have no financial or personal relationships that may have inappropriately influenced them in writing this article.

Acknowledgment

The authors would like to recognize and appreciate the authors of studies cited and applied in this study.

References

- Ali, D.A.S., Shazly, M.M. & Saad, N.F. (2019). The effect of problem-based learning strategy on nursing student's problem-solving abilities. *Impact: International Journal of Research in Applied, Natural and Social Sciences*, 7(6): 21-34.
- Allert, C., Dellkvist, H., Hjelm, M. & Andersson, E.K. (2022). Nursing students' experiences applying problem-based learning to train the core competence teamwork and collaboration: An interview study. *Nursing Open*, 9(1), 569-577. <https://doi.org/10.1002/nop2.1098>
- Al-Najar, H., Khalil, A., Bakar, S. & Aziz, N. (2019). Problem-based learning (PBL) versus lecture-based learning (LBL): Effect on developing critical thinking, problem-solving and self-directive learning skills in nursing students. *Journal of Nursing and Care*, 8(3): 2-11.
- Arrue, M., De Alegría, B.R., Zarandona, J. & Cillero, I.H. (2017). Effect of a PBL teaching method on learning about nursing care for patients with depression. *Nurse Education Today*, 52, 109-115. <https://doi.org/10.1016/j.nedt.2017.02.016>
- Badeau, K.A. (2010). Problem-Based Learning: An educational method for nurses in clinical practice. *Journal for Nurses in Professional Development*, 26(6), 244-249. <https://doi.org/10.1097/nnd.0b013e31819b562c>
- Balshem, H., Helfand, M., Schunemann, H. J, et al. (2011). GRADE guidelines, rating the quality of evidence. *Journal of Clinical Epidemiology*, 64(12), 1303 – 1310. <https://doi.org/10.1016/j.jclinepi.2011.04.014>
- Baran, M. & Sozbilir, M. (2017). Applying context- and problem-based learning (c-pbl) into teaching thermodynamics. *Research in Science Education*, 48(3): 1-27. <https://doi.org/10.1007/s11165-016-9583-1>
- Cecily, S.H.J. & Omoush, A. (2014). Efficacy of problem-based learning (PBL) over lecture method in enhancing the critical thinking skills and problem-solving ability among nursing students in KSA. *International Journal of Educational Science and Research*, 4(5): 1-8
- Choi, E., Lindquist, R. & Song, Y. (2014). Effects of Problem-Based Learning Vs. Traditional Lecture On Korean Nursing Students' Critical Thinking, Problem-Solving, And Self-Directed Learning. *Nurse Education Today*, 34(1): 52-56. <https://doi.org/10.1016/j.nedt.2013.02.012>

- D'Sa, J.L. & Bhaduri, A. (2013). Acceptability of a problem-based learning approach in a baccalaureate nursing program – A pilot study. *International Journal of Nursing Education*, 5(1):92.
- Fung, J.T.C., Chan, S.L., Takemura, N., Chiu, H., Huang, H., Lee, J., Preechawong, S., Hyun, M.Y., Sun, M., Xia, W., Xiao, J. & Lin, C. (2023). Virtual simulation and problem-based learning enhance perceived clinical and cultural competence of nursing students in Asia: A randomized controlled cross-over study. *Nurse Education Today*, 123, 105721. <https://doi.org/10.1016/j.nedt.2023.105721>
- Gabr, H., & Mohamed, N. (2011). Effect of problem-based learning on undergraduate nursing students enrolled in nursing administration course. *International Journal of Academic Research*, 3(1). 154 - 162
- Hamdan, A.R., Kwan, C.L., Khan, A., Ghafar, M.N. & Sihes, A.J. (2014). Implementation of problem-based learning among nursing students. *International Education Studies*, 7(7): 136-42. <https://doi.org/10.5539/ies.v7n7p136>
- Dehkordi, A.H. & Heydarnejad, M.S. (2008). The effects of problem-based learning and lecturing on the development of Iranian nursing students' critical thinking. *Pakistan journal of medical sciences*, 24(5), 740 – 743.
- Huang, CY, & Wang, Y. (2020). Toward an integrative nursing curriculum: Combining team-based and problem-based learning with emergency-care scenario simulation. *International Journal of Environmental Research and Public Health*, 17(12): 4612. <https://doi.org/10.3390/ijerph17124612>
- Hung, W., Jonassen, D.H. & Liu, R. (2019). Problem-based learning. *Handbook of research on educational communications and technology*, 3(1), 485-506.
- Jamshidi, H., Maslampak, M.H. & Parizad, N. (2021). Does problem-based learning education improve knowledge, attitude, and perception toward patient safety among nursing students? A Randomized Controlled Trial. *BMC Nursing*, 20(1), 70. <https://doi.org/10.1186/s12912-021-00588-1>
- Keshk, L.I., Qalawa, S.A.H. & El-Azim, S.A. (2016). Efficiency of problem-based Learning Course at College of Nursing in Egypt and KSA: Comparative Study. *American Journal of Educational Research*, 4(6), 450-458. doi:10.12691/education-4-6-3
- Khatiban, M. & San, G. (2014). The effects of using problem-based learning in the clinical nursing education on the students' outcomes in Iran: A Quasi-Experimental Study. *Nurse Education in Practice*. 14(6), 698 - 703. <https://doi.org/10.1016/j.nepr.2014.10.002>
- Kousar, R. & Afzal, M. (2021). The effects of problem-based learning on critical thinking and problem-solving skills among midwifery students. *Pakistan Journal of Medical & Health Sciences*, 15(4): 722-725.
- Ku, T. K., & Ha, M. (2016). The application of problem-based learning in undergraduate nursing education: A strategy for curriculum reform. *Journal of Biosciences and Medicines*, 4(6), 52-59. <https://doi.org/10.4236/jbm.2016.46008>
- L'Ecuyer, K.M., Pole, D. & Leander, S.A. (2015). The use of PBL in an interprofessional education course for health care professional students. *Interdisciplinary Journal of Problem-Based Learning*, 9(1). <https://doi.org/10.7771/1541-5015.1497>
- Lee, J. & Son, H.K. (2021). Comparison of learning transfer using simulation problem-based learning and demonstration: An application of Papanicolaou Smear nursing education. *International Journal of Environmental Research and Public Health*, 18(4),1765. <https://doi.org/10.3390/ijerph18041765>
- Lu, Y., Lee, S., Hsu, M., Shih, F., Yen, W., Huang, C., Li, P., Hung, C., Chuang, H. & Kuo, C. (2022). Effects of problem-based learning strategies on undergraduate

- nursing students' self-evaluation of their core competencies: A longitudinal cohort study. *International Journal of Environmental Research and Public Health*, 19(23), 15825. <https://doi.org/10.3390/ijerph192315825>
- Maginnis, C. & Croxon, L. (2010). Transfer of learning to the nursing clinical practice setting. *Rural and Remote Health*, 10(2) 1313,-1320. <https://doi.org/10.22605/rrh1313>
- Marken, P.A., Zimmerman, C., Kennedy, C., Schremmer, R. & Smith, K.V. (2010). Human simulators and standardized patients to teach difficult conversations to interprofessional health care teams. *American Journal of Pharmaceutical Education*, 74(7).
- Moradi, T. & Taghadosi, M. (2016). The Effect of problem-based learning clinical education on nursing student's critical thinking. *Future of Medical Education Journal*, 6(3): 20-25. <https://doi.org/10.22038/FMEJ.2016.7970>
- Othman, S.Y. & Shalaby, S.A. (2014). Students' perception and acceptance of problem-based learning approach in critical care nursing practice. *Scientific Co-operations International Workshops on Medical Topics*, Ankara-TURKEY, 52-67.
- Penjvini, S. & Shahsawari S. (2021). Comparing problem based learning with lecture Based Learning On Medicine Giving Skill To Newborn In Nursing Students. *Journal of Nursing Education and Practice*, 3(9), 53-59, <https://doi.org/10.5430/jnep.v3n9p53>
- Roh, R.S., Kim, S.S. & Kim, S.H. (2013). Effects of an Integrated Problem-Based Learning and Simulation Course for Nursing Students. *Nursing and Health Sciences*, 16, 91-96. <https://doi.org/10.1111/nhs.12069>
- Sahota, S. (2020). Using problem-based learning to improve patient safety in the emergency department. *Emergency Nurse*, 28(2): 3-42. <https://doi.org/10.7748/en.2020.e1958>
- Sangestani, G. & Khatiban, M. (2013). Comparison of problem-based learning and lecture-based learning in midwifery. *Nurse Education Today*, 33(8), 791-795. <https://doi.org/10.1016/j.nedt.2012.03.010>
- Sohn, M., Ahn, Y., Lee, M., Park, H. & Kang, N. (2013). The Problem-Based Learning Integrated With Simulation to Improve Nursing Students' Self-Efficacy. *Open Journal of Nursing*, 3(1), 95-100. <https://doi.org/10.4236/ojn.2013.31012>
- Son, H.K. (2020). Effects of S-PBL in maternity nursing clinical practicum on learning attitude, metacognition, and critical thinking in nursing students: A quasi-experimental design. *International Journal of Environmental Research and Public Health*, 17(21), 7866. <https://doi.org/10.3390/ijerph17217866>
- Søndergaard, B.D. (2016). *The principles and practices of problem and project-based learning (PBL) at Aalborg University*. PowerPoint presentation in Didaktik-Forum, Brandenburg. https://vsl.thbrandenburg.de/fileadmin/user_upload/allgemein/bilder/Vielfalt/Didaktikforum/2-Dahls_Keynote1-PBL-at-AAU.pdf
- Svensson, J., Axén, A., Andersson, E.K. & Hjelm, M. (2021). Nursing students' experiences of what influences the achievement of learning outcomes in a problem-based learning context: A qualitative descriptive study. *Nursing Open*, 8(4), 1863-1869. <https://doi.org/10.1002/nop2.842>
- Thabet, M., Taha, EELS, Abood, S.A. & Morsy, S. (2017). The Effect of Problem-Based Learning on Nursing Students' Decision-Making Skills and Styles. *Journal of Nursing Education and Practice*, 7(6), 108-116. <https://doi.org/10.5430/jnep.v7n6p108>

- Tseng, H.C., Chou, F.H., Wang, H.H., Ko, H.K., Jian, S.Y. & Weng, W.C. (2011). The effectiveness of problem-based learning and concept mapping among Taiwanese registered nursing students. *Nurse Education Today*, 31(8): e41-e46. <https://doi.org/10.1016/j.nedt.2010.11.020>
- Whittemore, R., & Knafl, K. (2005). The Integrative Review: Updated Methodology. *Journal of Advanced Nursing*, 52(5), 546-553. <https://doi.org/10.1111/j.1365-2648.2005.03621.x>
- Xing, C., Zhou, Y., Li, M., Wu, Q., Zhou, Q., Wang, Q. & Liu, X. (2021). The effects of CPBL+ SBAR teaching mode among the nursing students. *Nurse Education Today*, 100, 104828. <https://doi.org/10.1016/j.nedt.2021.104828>
- Yadav, R.L., Piryani, R.M., Deo, G.P., Shah, D.K., Yadav, L.K. & Islam, M.N. (2018). Attitude and perception of undergraduate medical students toward problem-based learning in Chitwan Medical College, Nepal. *Advances in Medical Education and Practice*, 4(9), 317-322. <https://doi.org/10.2147/AMEP.S160814>
- Yew, E.H. & Goh, K. (2016). Problem-based learning: An overview of its process and impact on learning. *Health Professions Education*, 2(2): 75-9. <https://doi.org/10.1016/j.hpe.2016.01.004>
- Yuan, H.B., Williams, B.A., Yin, L., Liu, M., Fang, J.B. & Pang, D. (2011). Nursing students' views on the effectiveness of problem-based learning. *Nurse Education Today*, 31(6), 577-581. <https://doi.org/10.1016/j.nedt.2010.10.009>
- Zhang, W. (2014). Problem-based learning in nursing education. *Advances in Nursing*, Hindawi Publishing Corporation *Advances in Nursing*, 2014, Article ID 125707, 1-5, <https://doi.org/10.1155/2014/125707>